



SORT FINES

Air jig with feed hopper

SORT FINES

Air separation component

- Stepless adjustment of screen insert inclination (screen lining inclination) and height of the light material barrier
- · Large speed range for optimal adjustment to feed material
- Two different amplitudes can be selected via control technology
- Large range of various screen inserts
- Easy screen insert changes thanks to service position

Dosing chute

Optimal homogenisation and dosing using automated slide position

BLUELINE®

Optional vibrating feeder

- Brake curtain for dosing of the input material
- Up to 4 m3 load



Three high-power fans enable operation of three independently adjustable air zones

All conveying technology on board

- External belt conveyors available in two different lengths that can be used universally within the BLUELINE system
- High-efficiency drum motors low-maintenance, durable and reliable!
- Suction hoods to reduce dust emissions available as an option

Variable material discharge

- Optimised system layout thanks to free selection of discharge side
- · Integrated belt scraper prevents caking

Total mass

8,600 kg / with feeder 10,000 kg

Dimensions*

6,050 x 2,450 x 2,700 mm / with feeder 6,050 x 3,000 x 4,200 mm

Highest sound pressure level**

73.8 dB(A)

Connected load

3N ~ 400 V / 63 A / 50 Hz

BLUECTRL

- Wireless, decentralised, IT-based control and process control using a tablet (BLUE PANEL)
- All-in-one solution for all BLUELINE system configurations

- Without conveying technology and attachments
- 1 m distance from the module surface, empty operating state, without material





Contact us

www.line-technology.com/contact



LINETECHNOLOGY GmbH

Patertal 20 A-3340 Waidhofen/Ybbs +43 (0) 7442 / 930 81 office@line-technology.com











