









BLUELINE®



Mixed aluminium scrap



-  **FEED VIBRO** // Feeding station with dosing unit and integrated drum magnetic separator for strongly magnetic particles.
-  **MAGNET DRUM** // Two-stage drum magnetic separation for selective sorting of weakly magnetic particles.
-  **EDDY ACTIVE** // Eddy current sorter with eccentric pole wheel for sorting in the particle size range of 2 - 200 mm.
-  **SENSOR UNCOVER+** // Sensor-based sorter with integrated compressed air treatment.

-  **UNTHA ZR** // Optional pre-comminution to increase throughput.
-  **UNTHA XR** // Cutting comminution for optimal pre-treatment for the downstream sorting technology.
-  **SCREEN DOUBLE** // Double-deck linear vibrating screen with 3D screen linings in the top deck and resonance-excited flip-flop bottom deck.

* optional



LUKAS SEISENBACHER

Head of Sales & Marketing

M +43 (0) 676 847 172 201

T +43 (0) 7442 93081 201

lukas.seisenbacher@line-technology.com



TOBIAS PECHBÖCK

Sales

M +43 (0) 676 847 172 202

T +43 (0) 7442 93081 202

tobias.pechboeck@line-technology.com



JOHANN FINK

Sales

M +43 (0) 676 847 172 203

T +43 (0) 7442 93081 203

johann.fink@line-technology.com



BERND BREUING

Sales Agent

M +49 (0) 171 97 415 16

T +49 (0) 2361 90 91 866

bernd.breuing@line-technology.com

